SAFETY DATA SHEET (SDS)

According to 1907/2006/EC, Article 31



May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

DENTRY (As Used on Jaked and Lief) Note: Black spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that. Manufacturer's Name Emergency Telephone Number (973) 569-9000 Address (Number, Street, Cipy, State, and Zir Code) Telephone Number (973) 569-9000 TYTTY West Side Avenue, North Bergen, NJ 07047 Telephone Number (973) 569-9000 Section II – Hazardous identification Emergency Telephone Number (973) 569-9000 List all incards regarding the material Telephone Number for Information NONE AS DEFINED IN 29 CFR 1910.1200 List all required label requirement Product designation: Wound dressing FOR EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Other Limits. Components (Specific Chemical Identity: Common Name(s) OSHA PEL ACGIH TLV Recommended Wight (% (optional)) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV – First aid measures Section IV – First aid measures Section V – Fire fighting measures Section V – Fire fighting measures Flammable Limits UEL UEL NONE Section IV – First aid measures Section V – Fire fighting measures Section V – Fire fighting measures Section V – Fire fighting Proachers UEL N	Section I – Identification of the substance/mixture ar	id of the company/undertaking
DermaRite Industries 101 1733 569-9000 Address (Mumber for Information (973) 569-9000 Telephone Number for Information 364dress (Mumber for Information (973) 569-9000 (973) 569-9000 Section II – Hazardous identification Lust all heards regarding the material NONE AS DEFINED IN 29 CFR 1910.1200 Lust all required label requirement Product designation: Wound dressing Other EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended % (optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flammable Limits UEL ONNE NONE Section IV – Fires taid measures		
(973) 569-9000 Section II – Hazardous identification List all heards regarding the material NONE AS DEFINED IN 29 CFR 1910.1200 List all required label requirement Product designation: Wound dressing Other Limits Recommended use and restriction of use FOR EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Other Limits Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended use and restriction of use FOR EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Other Limits Components (Specific Chemical Identity; Common Name(s) OSHA PEL Components (Specific Chemical Identity; Common Name(s) Other Limits Other Limits Section IV – First aid measures Section IV – First aid measures ISPON CONSULT A PHYSICIAN. Section V – Fire fighting measures ISPON WiLL MELT THEN BURN UNDER CONDITI		
List all hexards regarding the material NONE AS DEFINED IN 29 CFR 1910.1200 List all required label requirement Product designation: Wound dressing Recommended use and restriction of use FOR EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Other Limits Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended %(optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV – First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION Section IV – First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flash Point (Method Used) 500° F COC		
NONE AS DEFINED IN 29 CFR 1910.1200 List all required label requirement Product designation: Wound dressing Product designation: Wound dressing Recommended use and restriction of use FOR EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended %(optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV – First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flammable Limits LEL UEL NONE NONE NONE NONE Section IV – Fire fighting measures Flammable Limits LEL UEL NONE	Section II – Hazardous identification	
List all required label requirement Product designation: Wound dressing Recommended use and restriction of use FOR EXTERNAL USE ONLY. Section III - Composition/Information on Ingredients Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended %(optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV - First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V - First fighting measures Flash Point (Method Used) 500° F COC Flammable Limits LEL NONE UEL NONE Flash Point (Method Used) 500° F COC Solor F COC Flammable Limits LEL NONE UEL NONE Flash Point (Method Used) 500° F COC Flammable Limits LEL NONE UEL NONE Flash Point (Method Used) 500° F COC Flammable Limits LEL NONE NONE Flash Point (Method Used) 500° F COC Flammable Limits NONE NONE Flash Point (Method Used) 500° F COC NONE NONE NONE NONE Flash Point (Method Used) 500° F COC Flash Point (Method Used) NONE NONE NONE </th <td>List all hazards regarding the material</td> <td></td>	List all hazards regarding the material	
Product designation: Wound dressing Recommended use and restriction of use FOR EXTERNAL USE ONLY. Section III - Composition/Information on Ingredients Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended %(optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV - First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V - Fire fighting measures Flash Point (Method Used) 500° F COC Section V - Fire fighting Procedures	NONE AS DEFINED IN 29 CFR 1910.1200	
Recommended use and restriction of use FOR EXTERNAL USE ONLY. Section III - Composition/Information on Ingredients Components (Specific Chemical Identity: Common Name(s) OSHA PEL ACGIH TLV Recommended % (optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV - First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V - Fire fighting measures Flash Point (Method Used) 500° F COC NONE NONE NONE NONE Reatre CO2, DRY CHEMICAL	List all required label requirement	
FOR EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Other Limits Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended % (optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV – First aid measures Signe and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flash Point (Method Used) 500° F COC POAM WILL MELT THEN BURN UNDER CONDITIONS OF NONE NON	Product designation: Wound dressing	
FOR EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Other Limits Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended % (optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV – First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flash Point (Method Used) 500° F COC Flammable Limits LEL UEL NONE MONE NONE Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures		
FOR EXTERNAL USE ONLY. Section III – Composition/Information on Ingredients Other Limits Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended % (optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV – First aid measures Signe and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flash Point (Method Used) 500° F COC POAM WILL MELT THEN BURN UNDER CONDITIONS OF NONE NON		
Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended %(optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV – First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Flash Point (Method Used) 500° F COC Flammable Limits LEL UEL NONE Mone NONE Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures		
Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended %(optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Section IV – First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Flash Point (Method Used) 500° F COC Flammable Limits LEL UEL NONE HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures		
Components (Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recommended %(optional) THE PRODUCT CONSISTS OF POLYURETHANE FOAM AND OTHER NON-HAZARDOUS INGREDIENTS Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Flash Point (Method Used) 500° F COC Flammable Limits LEL UEL NONE MONE Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures	Section III – Composition/Information on Ingredients	
Section IV – First aid measures Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flash Point (Method Used) 500° F COC Flash Point (Method Used) 500° F COC FOAM WILL MELT THEN BURN UNDER CONDITIONS OF Flammable Limits LEL UEL NONE NONE HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures	Components (Specific Chemical Identity; Common Name(s) OSHA	
Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V - Fire fighting measures Flash Point (Method Used) 500° F COC FOAM WILL MELT THEN BURN UNDER CONDITIONS OF HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures	THE PRODUCT CONSISTS OF POLYURETHANE FOAM	AND OTHER NON-HAZARDOUS INGREDIENTS
Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V - Fire fighting measures Flash Point (Method Used) 500° F COC FOAM WILL MELT THEN BURN UNDER CONDITIONS OF HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures		
Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V - Fire fighting measures Flash Point (Method Used) 500° F COC FOAM WILL MELT THEN BURN UNDER CONDITIONS OF HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures		
Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V - Fire fighting measures Flash Point (Method Used) 500° F COC FOAM WILL MELT THEN BURN UNDER CONDITIONS OF HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures		
Signs and Symptoms of Exposure and Required Treatments IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V - Fire fighting measures Flash Point (Method Used) 500° F COC FOAM WILL MELT THEN BURN UNDER CONDITIONS OF HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures		
IN CASE OF SKIN IRRITATION, DISCONTINUE CONTACT AND WASH AREA WITH WATER. SHOULD IRRITATION PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flash Point (Method Used) 500° F COC Flammable Limits LEL UEL FOAM WILL MELT THEN BURN UNDER CONDITIONS OF HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures Special Fire Fighting Procedures Special Fire Fighting Procedures		
PERSIST, CONSULT A PHYSICIAN. Section V – Fire fighting measures Flash Point (Method Used) 500° F COC FOAM WILL MELT THEN BURN UNDER CONDITIONS OF Flammable Limits LEL UEL FOAM WILL MELT THEN BURN UNDER CONDITIONS OF NONE NONE NONE HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures		ACT AND WASH AREA WITH WATER SHOULD IRRITATION
Flash Point (Method Used) 500° F COC Flammable Limits LEL UEL FOAM WILL MELT THEN BURN UNDER CONDITIONS OF NONE NONE NONE NONE HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL UEL UEL NONE Special Fire Fighting Procedures Special Fire Fighting Procedures UEL NONE NONE	· · · · · · · · · · · · · · · · · · ·	
Flash Point (Method Used) 500° F COC Flammable Limits LEL UEL FOAM WILL MELT THEN BURN UNDER CONDITIONS OF NONE NONE NONE NONE HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL UEL UEL NONE Special Fire Fighting Procedures Special Fire Fighting Procedures UEL NONE NONE		
Flash Point (Method Used) 500° F COC Flammable Limits LEL UEL FOAM WILL MELT THEN BURN UNDER CONDITIONS OF NONE NONE NONE NONE HEAT AND OXYGEN Extinguishing Media Water, CO2, DRY CHEMICAL UEL UEL NONE Special Fire Fighting Procedures Special Fire Fighting Procedures UEL NONE NONE	Section V – Fire fighting measures	
Water, CO2, DRY CHEMICAL Special Fire Fighting Procedures	Flash Point (Method Used) 500° F COC FOAM WILL MELT THEN BURN UNDER CONDITIONS OF HEAT AND OXYGEN	
Special Fire Fighting Procedures		
	Special Fire Fighting Procedures	
	USE SELF-CONTAINED BREATHING	

Unusual Fire and Explosion Hazards COMBUSTION PRODUCT INCLUDE TOLUENE, CARBON MONOXIDE, HYDROGEN CYANIDE, AND NITROGEN OXIDE FUMES DUE TO URETHANE CONTACT

Section VI – Accidental rele	Section VI – Accidental release measures				
Steps to Be Taken in Case Material Is Release	sed or Spilled				
Not applicable.					
Respiratory Protection (Specify Type)					
Not applicable.	Not applicable.	No			
Ventilation	Ventilation	Ventilation			
Not necessary	Not necessary	Not necessary			
No	Νο	Νο			
Protective Gloves	Protective	Gloves			
Normal work clothes	Norma	I work clothes			
Other Protective Clothing or Equipment					
Normal working conditions	·				
Work/Hygienic Practices					
Section VII– Handling and S	Storage				
Precautions to Be Taken in Handling and Sto	ring				
Keep away from heat, sparks or flames. Storage in cool, dry place.					
Incompatibilities					
Avoid contact with irritated skin.					
Section VIII – Exposure controls/personal protection					

OSHA's Permissible Exposure Limits (PELs)

NONE

Threshold limit values (TLVs) NONE

Appropriate engineering controls **NONE**

Personal protective equipment (PPE)

NONE

Section IX – Physical and chemical properties

		Specific Gravity ($H_2O = 1$)	0.066-0.104
Flash Point	500° F COC	Melting Point	N/A
Vapor Density (AIR = 1) At 20°C	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water		·	·
N/A			
Appearance and Odor			
SOLID, PRACTICALLY ODORLESS			

Section X – Stability and Reactivity Data

Stability	Unstable	Conditions to Avoid
		AVOID HEAT, SPARKS AND OPEN FLAMES.
	Stable	×
		X
Incompatibility (Materials to Avoid)		
AVOID OXIDIZING SOLUTIO	ONS, SUCH AS H	HYPOCHLORITE SOLUTION OR HYDROGEN PEROXIDE SOLUTION
Hazardous Decomposition or Byproduct	ts	
BURNING CAN PRODUCE	CARBON MONO	IOXIDE AND CARBON DIOXIDE AND HYDROGEN CYANIDE.
Hazardous Polymerization	May Occur	
	Will Not Occur	×
		X

Section XI – Toxicol	ogical Information		
Route(s) of Entry:	Inhalation? NO	Skin? NO	Ingestion? NO
Health Hazards (Acute and Chro		NO	NO
	ANTICIPATED		
Carcinogencity:	NTP?	IARC Monographs?	OSHA Regulated?
NONE KNOWN	NONE	NONE	NONE
Signs and Symptoms of Exposur NONE ANTICIPATED	e		
Medical Conditions			
Generally Aggravated by Exposu	re NONE		
Emergency and first aid procedu		TINUE CONTACT AND WASH A	REA WITH WATER
	KIN INNTATION, DISCON	THE CONTACT AND WASH A	
Section XII – Ecolog	ical Information		
Not available			
Section XIII – Dispos	sal Consideration		
Waste Disposal Method			
			al regulations pertaining to the disposal
on non-hazardous was	te. No special requiremen	t.	
Section XIV– Transp	ort Information		
No special precaution	ons		
Section XV– Regula	tory Information		
Not available			
Section XVI – Other	Information		
Date Prepared 1/29/2015			
Signature of Preparer (optional)			
_			

(Reproduce locally)

THE INFORMATION AND RECOMMENDATIONS IN THIS DATA SHEET ARE BELIEVED TO BE CORRECT AND RELIABLE. HOWEVER THE DATA IS OFFERED FOR CONSIDERATION AND VERIFICATION BY THE USER AND DERMARITE INDUSTRIES LLC OFFERS NO GUARANTEE, WARRANT OR REPRESENTATION AS TO THE ACCURACY OR COMPLETENESS OF THE DATA