SAFETY DATA SHEET (SDS)

According to 1907/2006/EC, Article 31



May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

| IDENTITY (As Used on Label and List) RENEW FOAMING CLEANSER | Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that. | | | | |
|---|---|-----------|-----------------------------|-------------|--|
| Manufacturer's Name | Emergency Telephone Number | | | | |
| DermaRite Industries Address (Number, Street, City, State, and ZIP Code) | (973) 569-9000 Telephone Number for Information | | | | |
| 7777 WEST SIDE AVENUE, NORTH BERGEN NJ 07047 | relephone Number | | 569-9000 | | |
| Section II – Hazardous identification | | | | | |
| List all hazards regarding the material | | | | | |
| NONE | | | | | |
| List all required label requirement | | | | | |
| NONE | | | | | |
| | | | | | |
| Recommended use and restriction of use FOR EXTERNAL USE ONLY. | | | | | |
| | | | | | |
| Section III - Composition/Information on Ingredients | | | | | |
| Hazardous Components (Specific Chemical Identity; Common Name(s) | OSHA PEL | ACGIH TLV | Other Limits Recommended | %(optional) | |
| NONE | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Section IV – First aid measures | | | | | |
| Signs and Symptoms of Exposure and Required Treatments NONE | | | | | |
| | | | | | |
| Section V – Fire fighting measures | | | | | |
| Flash Point (Method Used) NONE | Flammable Limits NONE | LEL | UEL | | |
| Extinguishing Media CO2, Dry foam | | | | | |
| Special Fire Fighting Procedures NONE | | | | | |
| | | | | | |
| Unusual Fire and Explosion Hazards NONE | | | | | |
| | | | | | |

Rev 02; Issued Date: 02/02/2023

| Section VI - Accident | al release meası | ures | | | |
|---|--|----------------------------|--|-----------------------|------|
| Steps to Be Taken in Case Materia Can be picked up with | | asto can he treat | ed as common non | a-hazardous deterne | nt |
| Respiratory Protection (Specify Ty) | pe) | aste can be treat | ed as common nor | i-nazardous deterge | 114. |
| /entilation | Lo | cal Exhaust | | Special | |
| | Me | Not no echanical (General) | ecessary | No Other | |
| | | , , | Ok | No | |
| Protective Gloves | | | Eye Protection | | |
| Other Protective Clothing or Equip | ment Normal work c | lothes | | | |
| Vork/Hygienic Practices | - Horman Work o | iotiioo. | | | |
| Section VII– Handling | and Storage | | | | |
| Precautions to Be Taken in Handlin | ng and Storing | | | | |
| Store at room tem | perature and keep | in closed contain | ners. | | |
| | | | | | |
| | | | | | |
| ncompatibilities Unknown | | | | | |
| | | | | | |
| | | | | | |
| Section VIII - Exposu | re controls/ners | onal protectio | n | | |
| SHA's Permissible Exposure L | | <u> </u> | - | | |
| NONE | | | | | |
| | | | | | |
| Threshold limit values (TLVs) NONE Appropriate engineering controls | | | | | |
| Threshold limit values (TLVs) | | | | | |
| Threshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP | 'E) | | | | |
| Threshold limit values (TLVs) NONE Appropriate engineering controls NONE | PE) | | | | |
| Threshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP NONE | | ronartias | | | |
| Fhreshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP NONE | | roperties | Specific Gravity (I | H ₂ O = 1) | ~1.0 |
| Personal protective equipment (PP NONE NONE Personal protective equipment (PP NONE Section IX - Physical | | operties | | H ₂ O = 1) | ~1.0 |
| Threshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP NONE Section IX – Physical Boiling Point | | 212 °F | Melting Point | | N/A |
| Threshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP NONE Section IX – Physical Boiling Point | | | |) | |
| Personal protective equipment (PP NONE Section IX - Physical Solling Point Vapor Density (AIR = 1) Solubility in Water | | 212 °F | Melting Point Evaporation Rate |) | N/A |
| hreshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP NONE Section IX – Physical Boiling Point Papor Density (AIR = 1) Solubility in Water Water soluble | | 212 °F | Melting Point Evaporation Rate |) | N/A |
| Threshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP NONE Section IX – Physical Boiling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with frace | and chemical pr | 212 °F N/A | Melting Point Evaporation Rate |) | N/A |
| Personal protective equipment (PP NONE Soling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fra Section X — Stability a | and chemical pr grance. and Reactivity Da | 212 °F N/A | Melting Point Evaporation Rate (Butyl Acetate = 1 | 9 11) | N/A |
| Threshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP NONE Section IX — Physical Boiling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fra Section X — Stability a | and chemical pr | 212 °F N/A | Melting Point Evaporation Rate | d | N/A |
| Personal protective equipment (PP NONE Soling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fra Section X — Stability a | and chemical pr grance. and Reactivity Da | 212 °F N/A | Melting Point Evaporation Rate (Butyl Acetate = 1 | d | N/A |
| Personal protective equipment (PPNONE Section IX – Physical Solling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fractability Stability Compatibility (Materials to Avoid) | grance. Unstable Stable | 212 °F N/A | Melting Point Evaporation Rate (Butyl Acetate = 1 | d | N/A |
| Personal protective equipment (PPNONE Section IX — Physical Boiling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fraction X — Stability Capor Density (Materials to Avoid) | grance. Unstable Stable | 212 °F N/A | Melting Point Evaporation Rate (Butyl Acetate = 1 | d | N/A |
| Threshold limit values (TLVs) NONE Appropriate engineering controls NONE Personal protective equipment (PP NONE Section IX — Physical Boiling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fraction X — Stability a Stability Incompatibility (Materials to Avoid) Hazardous Decomposition or Bypre | grance. Unstable Stable | 212 °F N/A | Melting Point Evaporation Rate (Butyl Acetate = 1 | d | N/A |
| Personal protective equipment (PPNONE Section IX — Physical Boiling Point Vapor Density (AIR = 1) Solubility in Water Water soluble Appearance and Odor Greenish tint with fra Stability Capor Density (Materials to Avoid) | grance. Unstable Stable Not soluble with oil oducts | 212 °F N/A | Melting Point Evaporation Rate (Butyl Acetate = 1 | d | N/A |

| Route(s) of Entry: | Inhalation? NO | Skin? NO | Ingestion? YES | |
|---|---------------------------------|----------------------------------|--------------------|--|
| Health Hazards (Acute and Ch | ronic) | | .=- | |
| Irrita | ting if placed in eyes, or if i | ngested. | | |
| Carcinogencity: | NTP? | IARC Monographs? | OSHA Regulated? | |
| | | IARC Monographs? | OSHA Regulated? | |
| Signs and Symptoms of Expos | ure | | | |
| Medical Conditions Generally Aggravated by Expo | sure | | | |
| | | | | |
| Emergency and first aid proced | | drink large emounts of water C | all physician | |
| Flush eyes with water | tor 15 minutes. It ingested t | drink large amounts of water. C | an priysician. | |
| Castian VII. Faala | alas Information | | | |
| Section XII - Ecolog | gical information | | | |
| Not applicable | | | | |
| | | | | |
| | | | | |
| Section XIII - Dispo | nsal Consideration | | | |
| Waste Disposal Method | | | | |
| Waste can be treated | as a common non-hazardoւ | us detergent. Flush in drain wit | n plenty of water. | |
| | | | | |
| | | | | |
| | | | | |
| Section XIV- Trans | nort Information | | | |
| Not applicable | port information | | | |
| Not applicable | | | | |
| | | | | |
| | | | | |
| | | | | |
| Cootion VV Dogula | stant Information | | | |
| Section XV- Regula | atory information | | | |
| Not applicable | | | | |
| - | | | | |
| | | | | |
| Section XVI - Other | r Information | | | |
| Date Prepared V1: 10/04/13, V2: 02/02/20 | 023 | | | |
| Signature of Preparer (optional | | | | |
| (Reproduce locally) | | | | |

THE INFORMATION AND RECOMMENDATIONS IN THIS DATA SHEET ARE BELIEVED TO BE CORRECT AND RELIABLE. HOWEVER THE DATA IS OFFERED FOR CONSIDERATION AND VERIFICATION BY THE USER AND DERMARITE INDUSTRIES LLC OFFERS NO GUARANTEE, WARRANT OR REPRESENTATION AS TO THE ACCURACY OR COMPLETENESS OF THE DATA

Rev 02; Issued Date: 02/02/2023