# SAFETY DATA SHEET



# **PROVON® Moisturizing Hand & Body Lotion**

Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

#### **SECTION 1. IDENTIFICATION**

Product name : PROVON® Moisturizing Hand & Body Lotion

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500

Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Serious eye damage : Category 1

Reproductive toxicity : Category 2

**GHS Label element** 

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Precautionary Statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/

attention. **Storage:** 

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

# **Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (%)
Dimethyldioctadecylammonium chloride	107-64-2	>= 5 - < 10
Petrolatum	8009-03-8	>= 5 - < 10
Glycerine	56-81-5	>= 1 - < 5
cis-1-(3-Chloroallyl)-3,5,7-triaza-1- azoniaadamantane chloride	51229-78-8	>= 0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.



Version **Revision Date:** MSDS Number: Date of last issue: -

03/03/2015 70394-00001 Date of first issue: 03/03/2015 1.0

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Causes serious eye damage.

Suspected of damaging fertility or the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Discharge into the environment must be avoided. **Environmental precautions** 

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

cannot be contained.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid inhalation of vapor or mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

ractice.

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal-	5 mg/m3	ACGIH
		able fraction)		
		TWA (Mist)	5 mg/m3	NIOSH REL



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

		ST (Mist)	10 mg/m3	NIOSH REL
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Dimethyldioctadecylammoniu	107-64-2
m chloride	
cis-1-(3-Chloroallyl)-3,5,7-	51229-78-8
triaza-1-azoniaadamantane	
chloride	

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.

### Personal protective equipment

Respiratory protection

: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Impervious gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : cream

Color : opaque, White to light yellow

Odor : soapy

Odor Threshold : No data available

pH : 4.5 - 8.5

Melting point/freezing point : No data available

Initial boiling point and boiling

range

: No data available

Flash point : > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 0.98 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

# SAFETY DATA SHEET



# **PROVON® Moisturizing Hand & Body Lotion**

Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Autoignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 2,500 - 50,000 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

### **Product:**

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

#### Ingredients:

### Dimethyldioctadecylammonium chloride:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Petrolatum:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

Acute oral toxicity : LD50 (Rat): 1,552 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 923 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Result: No skin irritation

### **Ingredients:**

# Dimethyldioctadecylammonium chloride:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

# Petrolatum:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Remarks: Based on data from similar materials

Glycerine:

Result: No skin irritation

# cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

Result: Skin irritation

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

### Serious eye damage/eye irritation

Causes serious eye damage.

#### **Ingredients:**



Version **Revision Date:** MSDS Number: Date of last issue: -

03/03/2015 70394-00001 Date of first issue: 03/03/2015 1.0

### Dimethyldioctadecylammonium chloride:

Species: Rabbit

Result: Irreversible effects on the eye Method: OECD Test Guideline 405

### Petrolatum: Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

### Glycerine:

Result: No eye irritation

### cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

Result: Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Assessment: Does not cause skin sensitization.

### Ingredients:

# Dimethyldioctadecylammonium chloride:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

### Petrolatum:

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

# cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

Assessment: Probability or evidence of skin sensitization in humans

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

#### Germ cell mutagenicity

Not classified based on available information.

#### Ingredients:

# Dimethyldioctadecylammonium chloride:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials



Version **Revision Date:** MSDS Number: Date of last issue: -

03/03/2015 70394-00001 Date of first issue: 03/03/2015 1.0

Petrolatum:

: Test Type: Chromosome aberration test in vitro Genotoxicity in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Glycerine:

Genotoxicity in vitro Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

: Test Type: Chromosome aberration test in vitro Genotoxicity in vitro

Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Petrolatum: Species: Rat

Application Route: Ingestion Exposure time: 2 Years

Result: negative

Glycerine: Species: Rat

Application Route: Ingestion Exposure time: 2 Years

Result: negative

**IARC** No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA** No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

**Ingredients:** 



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Dimethyldioctadecylammonium chloride:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion

Result: negative

Petrolatum:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Skin contact

Result: negative

Remarks: Based on data from similar materials

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Dimethyldioctadecylammonium chloride:

Species: Rat

NOAEL: 100 mg/kg

Application Route: Ingestion

Exposure time: 28 d



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Petrolatum: Species: Rat

NOAEL: 5,000 mg/kg Application Route: Ingestion

Exposure time: 2 y

**Glycerine:** Species: Rat

NOAEL: 167 mg/m3 LOAEL: 660 mg/m3

Application Route: inhalation (dust/mist/fume)

Exposure time: 13 w Symptoms: Local irritation

**Aspiration toxicity** 

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Ingredients:**

Dimethyldioctadecylammonium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 21.3 mg/l

Exposure time: 95 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.16 mg/l

Exposure time: 48 h

Toxicity to algae : NOEC (Selenastrum capricornutum (fresh water algae)):

0.062 mg/l

Exposure time: 5 d

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to fish (Chronic

toxicity)

: NOEC (Pimephales promelas (fathead minnow)): 0.23 mg/l

Exposure time: 33 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates

(Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 0.38 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

: 1

Petrolatum:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae : NOEL (Pseudokirchneriella subcapitata (green algae)): >=

100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to bacteria : NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h

cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 26 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 25.8 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.54

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.63

mg/l

Exposure time: 72 h

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 19.8 mg/l

Exposure time: 21 d

Toxicity to bacteria : IC50: 1,870 mg/l

Exposure time: 3 h

### Persistence and degradability

### **Ingredients:**

Dimethyldioctadecylammonium chloride:

Biodegradability : Result: Not readily biodegradable.



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Biodegradation: 5 % Exposure time: 28 d

Remarks: Based on data from similar materials

Petrolatum:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Glycerine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 1 d

cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 51 % Exposure time: 28 d

Method: OECD Test Guideline 301F

**Bioaccumulative potential** 

**Ingredients:** 

Dimethyldioctadecylammonium chloride:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 13

Partition coefficient: n-

octanol/water

: log Pow: 3.8

Glycerine:

Partition coefficient: n-

octanol/water

: log Pow: -1.76

cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride:

Partition coefficient: n-

octanol/water

: log Pow: 1.89

Mobility in soil

No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Dimethyldioctadecylammonium chloride)

Class : 9
Packing group : III
Labels : 9

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Dimethyldioctadecylammonium chloride)

Class : 9
Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

: 964

Packing instruction : 964

(passenger aircraft)

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Dimethyldioctadecylammonium chloride)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**49 CFR** 

UN/ID/NA number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Dimethyldioctadecylammonium chloride)

Class : 9
Packing group : III

Labels : CLASS 9 ERG Code : 171



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

Marine pollutant : yes (Dimethyldioctadecylammonium chloride)

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

# Pennsylvania Right To Know

Water	7732-18-5	70 - 90 %
Dimethyldioctadecylammonium chloride	107-64-2	5 - 10 %
Petrolatum	8009-03-8	5 - 10 %
Glycerine	56-81-5	1 - 5 %

### **New Jersey Right To Know**

Water	7732-18-5	70 - 90 %
Dimethyldioctadecylammonium chloride	107-64-2	5 - 10 %
Petrolatum	8009-03-8	5 - 10 %
Glycerine	56-81-5	1 - 5 %
Isopropyl myristate	110-27-0	1 - 5 %

California Prop 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

#### The ingredients of this product are reported in the following inventories:

REACH : All ingredients (pre-)registered or exempt.

TSCA : All chemical substances in this product are either listed on the

TSCA Inventory or are in compliance with a TSCA Inventory

exemption.



Version **Revision Date:** MSDS Number: Date of last issue: -

03/03/2015 70394-00001 Date of first issue: 03/03/2015 1.0

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

**AICS** : All ingredients listed or exempt.


#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Special hazard.

#### HMIS III:

HEALTH	3*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### Full text of other abbreviations

**ACGIH** : USA. ACGIH Threshold Limit Values (TLV) **NIOSH REL** : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA 8-hour, time-weighted average

NIOSH REL / TWA Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

8-hour time weighted average OSHA Z-1 / TWA

Sources of key data used to compile the Material Safety

**Data Sheet** 

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

**Revision Date** : 03/03/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information pro-



Version Revision Date: MSDS Number: Date of last issue: -

1.0 03/03/2015 70394-00001 Date of first issue: 03/03/2015

vided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8