MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910,1200. Standard must be consulted for specific requirements.		HMIS HAZARD RATING								
White on courselies to absente tacking toward	HEAL	.TH	0		o = INSIGNIFICANT 3 = HIGH			3 = HIGH		
	FLAN	MABILITY	3	3 1 = SLIGHT				4 = EXTREME		
		REACTIVITY 0		2 = MODERATE						
SAFETEC OF AMERIC	\mathbf{A}		TRA	TRANSPORTATION INFORMATION						
	PROF	PROPER SHIPPING NAME			Flammable liquid, n.o.s. (Ethanol)					
		HAZARD CLASS / PKG. GRP.				REF.		50(b)(c)		
	IDEN	IDENTIFICATION NUMBER			11.11.000			Nane Required Ground		
SECTION 1 - PRODUCT / COMPANY IDENTIFICATION										
IDENTITY (AS USED ON LABEL AND LIST) Page 1 of 2							Page 1 of 2			
p.a.w.s. Personal Antimicrobial Wipe C	itrus Sce	ent ^{ru}								
MANUFACTURER'S NAME					EMERGENCY TELEPHONE NUMBER (24 Hours)					
Safetec of America, Inc.					(800) 255-3924					
ADDRESS (NUMBER, STREET, P.O. BOX)					TELEPHONE NUMBER FOR INFORMATION					
1055 East Delavan Avenue					(716) 895-1822					
(CITY, STATE AND ZIP CODE)					DATE PREPARED January 18, 2000					
Buffalo, NY 14215 SUPERSEDES NA										
SECTION 2 - HAZARDOUS INGR	EDIENT	S / IDENTI	TY IN	FORM/	ATION					
HAZARDOUS COMPONENTS	ÇAS#	96 (wt.)	C	SHA PE	L/STEL	ACG	IH TL\	//TWA/STEL		
(SPECIFIC CHEMICAL IDENTITY: COMMON NAME(S))		(OPTIONAL)	Pf	M	MG/M³	PP	M	MG/M ³		
Ethyl Alcohol	64-17-5	35 - 45	1000	(PEL)			1000 (TLV)			
Chloroxylenol	88-04-0	0.44 - 0.56	None Established Nor		one Es	stablished				

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR 372 at or above minimal amounts.

SECTION 3 - HEALTH HAZARD DATA							
ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE	EMERGENCY AND FIRST AID PROCEDURES						
INHALATION: Brief (minutes) inhalation will not cause	Remove victim to fresh air; provide oxygen if breathing is difficult; seek medical attention if required.						
adverse effects, although, constant inhalation may cause							
irritation to upper respiratory tract.							
EYES: Brief contact may cause mild irritation; prolonged contact may cause moderate irritation associated with redness.	Flush eyes with clear running water for a minimum of 15 minutes while holding eyelids open; if irritation persists, seek medical attention.						
INGESTION: Small amounts swallowed incidental to normal handling are not likely to cause injury. Swallowing larger amounts may cause injury.	DO NOT induce vomiting; seek immediate medical attention. Vomiting may be induced only under the supervision of a physician.						
HEALTH HAZARDS (ACLITE AND CHRONIC): Acute effects effects have been established.	l are possible irritation and discomfort; no known chronic						
CARCINOGENICITY NTP? No	IARC MONOGRAPHS? No OSHA REGULATED? No						
No additional information							
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EX	(POSURE: Preexisting skin, eye, or respiratory disorders						

MATERIAL SAFETY DATA SHEET

may become aggravated through prolonged exposure.

			_						
MATERIAL SAFETY DATA SHEET									
IDENTITY (AS USED ON LABEL AND LIST)				Page 3 of 2					
p.a.w.s. Personal Antimicrobial W	/lpe Citrus Sce		Date: January 18, 2000						
SECTION 4 - FIRE FIGHTING	MEASURES	3							
FLASH POINT (METHOD USED) 97°F (TOC)	SH POINT (METHOD USED) FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component)								
EXTINGUISHING MEDIA		_							
Dry chemicals, alcohol-type or all-		20,							
SPECIAL FIRE FIGHTING PROCEDU Use water spray to cool fire-expose	RES sed containers ar	nd struc	tures. Use water spray :	to disperse vapors; re-ignition is possible					
UNUSUAL FIRE AND EXPLOSIVE H	AZARDS								
Flammable material. Toxic gases (such as carbon monoxide and formaldehyde) may be released in a fire. Concentrated									
Vapors may be flammable.									
SECTION 5 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED									
				f water; larger spills should be collected					
for disposal.	1000								
WASTE DISPOSAL METHODS	10			_ td:_ d un un un formanderen un ave formande					
Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete									
hazardous waste upon contact with other products. Herer to "40 CFR Protection of Environment Parts 200-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any									
chemicals.	air yaa. Ebbai, b	LUKU, W.		Total de la company de la comp					
PRECAUTIONS TO BE TAKEN IN HA	ANDLING AND	STOR/	\GE						
Keep container(s) tightly closed when not in use. Avoid inhalation of high concentration of vapors. Store in cool, dry area									
away from possible sources of ign	nition. Keep this	and of	rer chemicals out of reac	ch af children.					
SECTION 6 - EXPOSURE CO	NTROLS / P	ERSC	NAL PROTECTIO	N					
RESPIRATORY PROTECTION			VENTILATION	LOCAL EXHAUST: Required					
Ordinarily, none required				MECHANICAL (GENERAL): Yes					
PROTECTIVE GLOVES		EYE PROTECTION							
Ordinarily, none required			Ordinarily, none required						
OTHER PROTECTIVE CLOTHING OR EQUIPMENT			WORK / HYGIENIC PRACTICES						
Ordinarily, none required				habits. Use according to label					
OF OF ONL OLD (OLD) OLD	ENGAL BO	~~~	instructions.						
SECTION 7 - PHYSICAL / CH	EIVIICAL PRI	UPER							
BOILING POINT	BOILING POINT		SPECIFIC GRAVITY (W 0.942	AIRREN					
	,		MELTING POINT						
VAPOR PRESSURE (mm Hg) No data			Not applicable						
VAPOR DENSITY (AIR=1)		• • •	рН						
1.59 (ALC.)			3.8 - 6.4						
SOLUBILITY IN WATER			EVAPORATION RATE (n-BUTYL ACETATE=1)						
Slight			1.7 (ALC.)						
APPEARANCE AND ODOR		% VOLATILES (BY WEIGHT)							
Off-white, premoistened towelett	e; citrus fragranc	68.75							
SECTION 8 - STABILITY ANI	D REACTIVI	ΓY		·					
STABILITY UNST	ABLE:		CONDITIONS TO AVO	PD .					
ST	ABLE: XXX	Extreme temperatures; sources of ignition							
INCOMPATIBILITIES (MATERIALS) Strong axidizers; strong axids	(DIOVA								
HAZARDOUS DECOMPOSITION OR E	YPRODUCTS								
Decomposition will not occur if handled / stored properly. Thermal decomposition may emit typical products of									
combustion. HAZARDOUS POLYMERIZATION	MAY OCCUR:		CONDITIONS TO AVO	ID.					
	L NOT OCCUR:	ххх	Heat	I V					
4117									

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor

MATERIAL SAFETY DATA SHEET

IDENTITY (AS USED ON LABEL AND LIST)

p.a.w.s. Personal Antimicrobial Wipe Citrus Scent™

Page 4 of 2

Date: January 18, 2000

assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.