

Anti-Tippers

NOTE: The 0 degree and 6 degree chair configurations became available 8/1/02. Rear anti-tippers for these configurations are not available prior 8/1/02.



Front Anti-Tippers



Rear Anti-Tippers

Anti-Tippers

NOTE: The 0 degree and 6 degree chair configurations became available 8/1/02. Rear anti-tippers for these configurations are not available prior 8/1/02.

9000SL and 9000XT

| Model Number | Part Number | Description | Quantity Per Package |
|--------------|---------------------|---------------------|----------------------|
| 2226 | 1035967 | Front Anti-Tippers | 2 |
| 1360A | 1058752 | Rear Anti-Tippers | 2 |
| | See Note(s) D, G, A | | |
| 1360SH | 1064520 | Rear Anti-Tippers | 2 |
| | See Note(s) A, E, C | '' | |
| 1360 | 1058836 | Rear Anti-Tippers | 2 |
| | See Note(s) F, C, B | Trodi 7 tha Tipporo | _ |

NOTE: A - 6" Fork and Caster.

- B 8" Fork and Caster.
- C Standard Seat to Floor angle for 9SL and 9XT is 3 degrees. After 8/1/02, 9XT with offset axle and adjustable journal caster options allow seat-to-floor angle to be set at 0 degrees, 3 degrees and 6 degrees.
- D For use on Adult, Hemi and Super Hemi models.
- E For use on Super Low models.
- F For use on all models.
- G 9000XT models with Super Hemi and Angle-S back must use Anti-Tipper part # 1058752.

9000XDT

| Model Number | Part Number Description | | Quantity Per Package |
|---|-------------------------|--------------------|----------------------|
| 2226 | 1035967 | Front Anti-Tippers | 2 |
| 1360A | 1058752 | Rear Anti-Tippers | 2 |
| 1300A | See Note(s) A | Real Anti-Tippers | |
| 1360 | 1058836 | Rear Anti-Tippers | 2 |
| | See Note(s) B | Real Anti Tippers | |
| NOTE: A - Adult and Hemi Chairs - 8" Fork and Caster. | | | |
| B - Tall Chairs - 8" Fork and Caster. | | | |

9000XT Recliner

| Part Number | Description | Quantity Per Package | |
|---------------|-------------------|----------------------|--|
| 1035967 | Front Anti-Tipper | 2 | |
| 1061109 | Rear Anti-Tipper | 2 | |
| See Note(s) A | Teal Anti-Tippel | 2 | |
| 1061110 | Rear Anti-Tipper | 2 | |
| See Note(s) B | real full Tippel | | |
| 1021767 | Rear Anti-Tipper | 2 | |
| See Note(s) C | | | |

NOTE: A - For use on models with 20" rear wheels.

- B For use on models with 22" rear wheels.
- C For use on models with 24" rear wheels.

Anti-Tippers

NOTE: The 0 degree and 6 degree chair configurations became available 8/1/02. Rear anti-tippers for these configurations are not available prior 8/1/02.

9000XT with 0 Degree Seat Angle - After 8/01/02

9000XT w/Offset Axle and Adjustable Journal Caster Options

| Kit Number | Seat to Floor Height | Anti-Tipper Length | Anti-Tipper Height | Caster Size |
|------------|----------------------|--------------------|--------------------|-------------|
| 1058752 | 15-1/2" | 11-5/8" | 2-3/4" | 6" |
| 1058836 | 16-1/2" - 17-1/2" | 13-1/2" | 3-1/2" | 6" |
| 1058836 | 17-1/2" - 18-1/2" | 13-1/2" | 3-1/2" | 8" |

9000SL and 9000XT with 3 Degree Seat Angle

9000XT w/Offset Axle and Adjustable Journal Caster Options

| Kit Number | Seat to Floor Height | Anti-Tipper Length | Anti-Tipper Height | Caster Size |
|---------------|----------------------|--------------------|--------------------|-------------|
| 1058752 | 15-1/2", 16-1/2", | 11-5/8" | 2-3/4" | 6" |
| See Note(s) A | 17-1/2" | 11 3/0 | 2 3/4 | Ö |
| 1058836 | 17-1/2", 18-1/2", | 13-1/2" | 3-1/2" | 8" |
| See Note(s) A | 19-1/2" | 13-1/2 | | 0 |

NOTE: A - Standard seat to floor angle for 9SL and 9XT is 3 degrees. After 8/1/02, 9XT with offset axle and adjustable journal caster options allow seat to floor angle to be set at 0 degrees, 3 degrees and 6 degrees.

9000XT with 6 Degree Seat Angle - After 8/1/02

9000XT w/Offset Axle and Adjustable Journal Caster Options

| Kit Number | Seat to Floor Height | Anti-Tipper Length | Anti-Tipper Height | Caster Size |
|-------------|------------------------------|--------------------|--------------------|-------------|
| 1113764-NLA | 15-1/2" | 9-1/2" | 2-3/8" | 6" |
| 1113765-NLA | 16-1/2", 17-1/2" | 12-1/2" | 2-3/4" | 6" |
| 1113766-NLA | 17-1/2", 18-1/2", 19-1/2" | 13-1/2" | 2-7/8" | 8" |