



Claritin 24 Hour Tablets

Drug Facts	
Active ingredient (in each tablet)	Purpose
Loratadine 10 mg.....	Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none">■ runny nose ■ itchy, watery eyes■ sneezing ■ itching of the nose or throat	
Warnings	
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.	
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.	
When using this product do not take more than directed. Taking more than directed may cause drowsiness.	
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions	
adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor
Other information	
<ul style="list-style-type: none">■ safety sealed: do not use if the individual blister unit imprinted with Claritin® is open or torn (blisters)■ Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken (bottles)■ store between 20° to 25° C (68° to 77° F)■ protect from excessive moisture	
Inactive ingredients	
corn starch, lactose monohydrate, magnesium stearate	
Questions or comments?	
1-800-CLARITIN (1-800-252-7484) or www.claritin.com	