

DC9146A

Drug Facts (continued)

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use



Drug Facts (continued)

Other information

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients corn starch, D&C red #27 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments? (800) 616-2471

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB® Tablets.
50844 REV1016H32912
Distributed by **MAJOR® PHARMACEUTICALS**
17177 N Laurel Park Drive, Suite 233
Livonia, MI 48152 USA M-17
Re-order No. 250068 Rev. 01/17

REV1016H32912
B-1212-329-12

No print/No varnish
Lot & Exp date



TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

MAJOR®

BANOPHEN™
Diphenhydramine HCl 25 mg Anthistamine

Compare the active ingredient in
Benadryl® Allergy Ultratab® Tablets

NDC 0904-555-159

Complete Allergy Medication

For the temporary relief of the symptoms of:
• Upper Respiratory Allergies • Hay Fever

100 MINITABS

ACTUAL SIZE



Drug Facts

KEEP OUTER PACKAGE
FOR COMPLETE PRODUCT
INFORMATION

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg ... Anthistamine

Purpose

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - itchy, watery eyes
 - sneezing
 - runny nose
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - sneezing
 - runny nose

Warnings

- Do not use**
- to make a child sleepy
 - with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.



MAJOR®

BANOPHEN™
Diphenhydramine HCl 25 mg
Anthistamine

Complete Allergy Medication

100 MINITABS