

## PediaSure® 1.5 Cal

### Complete, Balanced Nutrition

PEDIASURE 1.5 CAL is a higher<sup>\*</sup> caloric density product designed to meet the higher energy requirements of pediatric patients who are at risk for malnutrition, require a higher caloric density, or have fluid restrictions. It provides a source of complete, balanced nutrition for children 1 to 13 years of age. For oral or tube feeding. May be used as a sole source of nutrition or as a supplement. Use under medical supervision.

<sup>\*</sup> Caloric value is 1.5 Cal/mL compared to PediaSure Enteral Formula 1.0 Cal at 1.0 Cal/mL.



#### Features

- Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals
  - in 1000 mL for children 1 to 8 years of age.
  - in 1500 mL for children 9 to 13 years of age.
- Excellent source of high-quality protein designed to meet the acceptable macronutrient distribution range of protein for children 1 to 13 years of age.
- DHA (32 mg per 8 fl oz) and lutein to support the brain and eyes.<sup>1,2</sup>
- Vitamin D, calcium and phosphorus for strong bones.
- Good source of antioxidants (vitamins C & E and selenium) to support the immune system.
- No artificial growth hormones.<sup>†</sup>
- Kosher.
- Halal.
- Gluten-free.
- Suitable for lactose intolerance.

<sup>1</sup> Lauritzen L, et al. Prog Lipid Res. 2001;40:1-94.

<sup>†</sup> No significant difference has been shown between milk derived from rbST-treated and non-rbST-treated cows.

<sup>2</sup> Krinsky NI, et al. Annu Rev Nutr. 2003;23:171-201.

#### Safety Precautions

- Not intended for infants under 1 year of age unless specified by a physician.
- Not for IV use.
- Not for children with galactosemia.

#### Availability

| List Number | Item                                                     |
|-------------|----------------------------------------------------------|
| 67378       | PediaSure 1.5 Cal Vanilla / 8 fl oz (237 mL) Can / 24 ct |

#### Ingredients

##### Vanilla Liquid

Water, Corn Maltodextrin, Blend of Vegetable Oils (High Oleic Safflower, Soy, Medium Chain Triglycerides), Milk Protein Concentrate, Soy Protein Isolate. Less than 0.5% of: Vitamins & Minerals (Potassium Citrate, Potassium Chloride, Magnesium Phosphate, Calcium Phosphate, Ascorbic Acid, Choline Chloride, Calcium Carbonate, Potassium Phosphate, Ferrous Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Copper Sulfate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12), Natural & Artificial Flavor, Cellulose Gel, Soy Lecithin, Tuna Oil (Source of docosahexaenoic acid [DHA]), Monoglycerides, Cellulose Gum, Potassium Hydroxide, Carrageenan, Inositol, Taurine, Sucralose, Salt, L-Carnitine, and Lutein.

Contains milk and soy ingredients.

#### Nutrition Information

|                             | 8 fl oz (237 mL) |     |
|-----------------------------|------------------|-----|
|                             | Value            | %DV |
| Protein, g                  | 14               |     |
| Fat, g                      | 16               |     |
| Saturated Fat, g            | 3.5              |     |
| Trans Fat, g                | 0                |     |
| Polyunsaturated Fat, g      | 5                |     |
| Monounsaturated Fat, g      | 7                |     |
| Cholesterol, mg             | 10               |     |
| Carbohydrate, g             | 38               |     |
| Dietary Fiber, g            | <1               |     |
| Total Sugars, g             | 3                |     |
| Added Sugars, g             | 3                |     |
| L-Carnitine, mg             | 4.0              |     |
| Taurine, mg                 | 18               |     |
| Water, mL                   | 185              |     |
| Calories                    | 350              |     |
| Vitamin A, mcg RAE          | 140              |     |
| Vitamin D, mcg              | 6.0              |     |
| Vitamin E, mg               | 3.0              |     |
| Vitamin K, mcg              | 18               |     |
| Vitamin C, mg               | 23               |     |
| Folate, mcg DFE             | 60               |     |
| Folic Acid, mcg             | 36               |     |
| Thiamin (Vitamin B1), mg    | 0.30             |     |
| Riboflavin (Vitamin B2), mg | 0.33             |     |
| Vitamin B6, mg              | 0.34             |     |
| Vitamin B12, mcg            | 0.48             |     |
| Niacin, mg NE               | 3.2              |     |
| Choline, mg                 | 80               |     |
| Biotin, mcg                 | 8.0              |     |
| Pantothenic Acid, mg        | 1.3              |     |
| Inositol, mg                | 20               |     |
| Sodium, mg                  | 90               |     |
| Potassium, mg               | 470              |     |
| Chloride, mg                | 230              |     |
| Calcium, mg                 | 330              |     |
| Phosphorus, mg              | 250              |     |
| Magnesium, mg               | 40               |     |
| Iodine, mcg                 | 23               |     |
| Manganese, mg               | 0.46             |     |
| Copper, mg                  | 0.14             |     |



|                 |     |  |
|-----------------|-----|--|
| Zinc, mg        | 1.7 |  |
| Iron, mg        | 2.7 |  |
| Selenium, mcg   | 8.0 |  |
| Chromium, mcg   | 9.0 |  |
| Molybdenum, mcg | 9.0 |  |

Preparation

Instructions for Use:

- Shake well.
- Store unopened at room temperature.
- Clean top of container thoroughly before opening.
- After opening, refrigerate and consume product within 48 hours. If consuming product directly from the container, refrigerate and consume within 24 hours.

Tube Feeding

- Follow physician's instructions for flow rate, volume, dilution and need for additional fluids.

Oral Feeding

- Best served chilled.