

## Drug Facts

**Active ingredient (in each tablet)**

Calcium Carbonate 500 mg.....Antacid

**Purpose****Uses** temporarily relieves:

- acid indigestion • heartburn • sour stomach

**Warnings**

**Ask a doctor before use if you** have kidney stones.

**Ask a doctor or pharmacist before use if you** are taking prescription drugs. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks.

**When using this product** do not use the maximum dosage for more than 2 weeks.

**If pregnant or breast feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. ►



NDC 57896-763-15



REGULAR STRENGTH

**CALCIUM CARBONATE**  
**500 mg**

**CHEWABLE ANTACID**  
**Assorted Flavors**



Compare to active ingredient  
in **TUMS®** Regular Strength\*

**150 Tablets**

## Drug Facts (continued)

**Directions** • do not exceed recommended dose

- adults and children 12 years of age and older:
  - chew 2 to 4 tablets as symptoms occur, or as directed by a doctor
  - do not take more than 15 tablets in a 24 hour period
  - if pregnant, do not take more than 10 tablets in 24 hours
- children under 12 years: consult a doctor

**Other information** • each tablet contains: **calcium 200 mg**

- Store below 30°C (86°F). Keep the container tightly closed.
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.

**Inactive ingredients** assorted flavors, D&C Yellow #10 lake, dextrose, FD&C Blue #1 lake, FD&C Red #40 lake, FD&C Yellow #6 lake, magnesium stearate, maltodextrin, mineral oil.

**Questions or comments? 1-800-540-3765**

\*This product is not manufactured or distributed by the owner of the registered trademark Tums®.

Dist. by: **Geri-Care Pharmaceuticals Corp.**

1650 63<sup>rd</sup> Street, Brooklyn, NY 11204

REV 1120AI