

US-MSDS-005 Revision: 1	MATERIAL SAFETY DATA SHEET	Effective Date: 02/02
----------------------------	-------------------------------	-----------------------

USP Muscle Implantation (Rabbit)		Passed
7.	Fire and Explosion Hazard Data	
	Flash Point:	> 200 degrees F
	Extinguishing Media:	Whatever is appropriate for surrounding fire.
	Personal Protective Equipment:	Self-contained breathing apparatus.
	Special Instructions:	None known
8.	Reactivity Data	
	Stability:	Stable
	Incompatibility (materials to avoid):	Strong acids, strong bases and oxidizing agents.
	Hazardous Decomposition or By-products:	Carbon monoxide, carbon dioxide, nitrogen oxides, possible trace amounts of methyl methacrylate or acrolein.
	Hazardous Polymerization:	Will not occur
9.	Precautions for Safe Handling and Use	
	Handling/Storage:	Avoid storage or use near ignition sources, excess heat, sparks or open flame.
	Sterility:	The sterility of contents is guaranteed unless individual package is damaged or opened.
	Contraindications:	None known
10.	Ecological information	
	No known ecological hazards associated with this product.	
11.	Disposal considerations	
	Dispose in accordance to federal, state, and local regulations.	

US-MSDS-005
Revision: 1

**MATERIAL SAFETY
DATA SHEET**

Effective Date: 02/02

1. Identification of the product and the company

Product Name: Alldress®
Type: Sterile Wound Dressing
Company: Mölnlycke Health Care
Address: 826 Newtown-Yardley Road, Suite 300
Newtown, PA 18940
Information Telephone Number: 1-800-882-4582

2. HMIS

Health: 0
Fire: 0
Reactivity: 0
Personal Protective Equipment: None required; protective gloves for handling contaminated product.

3. Composition/information on ingredients

Composition: Polyurethane, polyacrylic adhesive, polyester fabric, polyester/rayon, polyethylene/ethylene-vinyl acetate copolymer.

4. Latex

None of the materials used in the manufacture of the above product contain dry crumb rubber or natural rubber latex materials. The unit package contains a sealing adhesive made from natural rubber latex.

5. Health Hazard/First aid measures

Eyes: None expected. Immediately flush eyes with water for at least 15 minutes. Get medical attention.
Skin: None expected. If irritation develops, get medical attention.
Inhalation: None expected, not an expected route of exposure.
Ingestion: None expected, not an expected route of exposure. Get medical attention.

6. Safety Testing

Primary Skin Irritation (Rabbit)	Passed
Cytotoxicity (USP Elution Method)	Passed
Systemic Toxicity (Rabbit)	Passed
Intracutaneous Toxicity (Rabbit)	Passed
Hemolysis (In Vitro)	Passed
Guinea Pig Maximization (Sensitization)	Passed