All Hydrofera Blue dressings are effective against the broad-spectrum of microorganisms commonly found in wounds.

Bacteria	Yeast			
 Methicillin-resistant Staphylococcus aureus (MRSA) Staphylococcus aureus Staphylococcus epidermidis (coagulase negative) Pseudomonas aeruginosa 	 Pseudomonas fluorescens Escherichia coli Enterococcus faecalis Vancomycin-resistant Enterococcus (VRE) 	 Streptococcus pyogenes Klebsiella pneumoniae Proteus mirabilis Proteus vulgaris Enterobacter aerogenes 	 Bacillus subtilis Yersinia enterocolitica Serratia marcescens Streptococcus pneumoniae* Enterobacter cloacae* 	Candida albicansCandida kruseiCandida glabrata

Tested on Hydrofera Blue Ready dressing only

ORDERING INFORMATION - Hydrofera Blue Antibacterial Foam Dressings

		Product No	Product Size	Qty/Box	HCPCS*
		Hydrofera Blue CL			
		HB2214	5 cm x 5 cm (2" x 2")	10	A6209
		HB4414	10.2 cm x 10.2 cm (4" x 4")	10	A6209
		HB4514 NEW 5	10.2cm x 12.7cm (4"x 5")	10	A6210
		HB6614	15.2 cm x 15.2 cm (6" x 6")	10	A6210
		HBT0906	9 mm Tunneling Dressing (1.2 g)	10 pair	A6215
No hydration required	Hydrate before use	HBRF2650	6.4 cm (2.5") diameter Ostomy Dressing	10	A6209
		Hydrofera Blue RE			
ADV TM Hydrotera Blue READ		HBRS2520	6.4 cm x 6.4 cm (2.5" x 2.5")	10	A6209
Mora Blue READY IN Hydrofe	No hydration	HBRS4520	10.2 cm x 12.7 cm (4" x 5")	10	A6210
Hydroters Glave FIE	required	HBRS8820	20.3 cm x 20.3 cm (8" x 8")	10	A6211
		Hydrofera Blue RE	EADY- <mark>Transfer</mark>		
		HBRT2525	6.4 cm x 6.4 cm (2.5" x 2.5")	10	A6209
	No hydration	HBRT4050	10.2 cm x 12.7 cm (4" x 5")	10	A6210
	required	HBRT8080	20.3 cm x 20.3 cm (8" x 8")	10	A6211

*HCPCS are for reference only and subject to change

Indications for use: Pressure Injuries/Ulcers, Diabetic Ulcers, Venous Stasis Ulcers, Arterial Ulcers, Superficial Burns, Donor Sites, Skin Grafts, Post Surgical Incisions, Traumatic Wounds, Skin Tears, Abrasions, Lacerations.

- 1. Edwards K. New twist on an old favorite: genatian violet and methylene blue antibacterial foam dressings. Adv Wound Care (New Rochelle). 2015. In press.
- Swan H, Trovela VJ. Case study review: use of an absorbent bacteriostatic dressing for multiple indications. Poster presented at Clinical Symposium on Advances in Skin and Wound Care; September 9-11, 2011; Washington, DC.
- Weir D, Blakely M. Case review of the clinical use of an antimicrobial PVA foam dressing. Poster presented at Symposium on Advances in Skin and Wound Care; April 18-21, 2012; Atlanta, GA.
- Conwell P, Mikulski L, Tramontozzi M. A comparison of two antimicrobial PVA foam dressings: a randomized prospective trial comparing PVA foam with two organic pigments to a silver based wound dressing. Poster presented at Symposium on Advanced Wound Care, May 2-5, 2004; Lake Buena Vista, Fla.
- Based on a January 2015 analysis of publicly available pricing of major brand non-adhesive, silver foams available on the internet as compared to the per-unit suggested retail price

For product questions and samples please call Customer Service at 1-860-337-7730.

Hydrofera Dressings manufactured by: Hydrofera, LLC, 340 Progress Drive Manchester, CT 06042, USA www.hydrofera.com

Find natural balance in bue.



Hydrofera Blue

- Non-Cytotoxic Natural Negative Pressure
 - Natural Autolytic Debridement
- Antibacterial Flattens Rolled Wound Edges
 - Cost Effective

Change to blue at hydrofera.com





Hydrofera Blue CLASSIC

Polyvinyl Alcohol (PVA) Foam Dressings

Hydrofera Blue READY and READY-Transfer

Polyurethane (PU) Foam Dressings

Antibacterial foam dressings that combine methylene blue and gentian violet to manage bioburden.

Wound characteristics

- Deep, tunneling or shallow
- With or without devitalized tissue/ slough & debris
- Moderate to heavy exudate
- Infected or at risk of infection

Clinical benefits

- Continuous wicking, highly absorptive
- Safe, autolytic debridement
- Manages bioburden
- Safe, Non-cytotoxic
- Does not inhibit growth factors
- High tensile strength


CLASSIC Hydrate before use

Wound characteristics

- Shallow wounds
- Moderate to heavy exudate


Clinical benefits

- Up to 7-day wear time
- Safe, Non-cytotoxic
- Does not inhibit growth factors



Powerful Wicking

 Wicks bacteria laden exudate into the foam and away from the wound surface with natural negative pressure through capillary flow.



Edge Effect

 Multiple authors have noted resolution of epibole or flattening of wound edges with use of Hydrofera Blue CLASSIC dressings.



Granulating wound bed with epithelial cells on the edge

Debridement

• Example of devitalized tissue removed at dressing change.



The Safe Non-Cytotoxic Choice

- Ideal for clinicians looking for an alternative to silver dressings
- Less expensive than many silver foam dressings⁵
- Compatible for use with Hyperbaric Oxygen Therapy (HBOT)
- Compatible with Growth factors and enzymatic debriders


Waterproof and bacteria resistant semi-permeable backing Broad-spectrum antibacterial protection Absorption Absorbs and retains bacteria-laden exudate

READY-Transfer dressing

- No-film backing increases exudate management options
- Exudate is transferred into secondary absorbent dressing



Deep with Heavy Exudate



Tunneling



Removal of Devitalized Tissue



Shallow with Moderate Exudate



Skin Tear Before / After



With Compression / Total Contact Casting