

BEN-GAY GREASELESS OINTMENT

| | |
|--|--|
| Product and Company Identification | Physical and Chemical Properties |
| Composition/Information on Ingredients | Stability and Reactivity |
| Hazards Identification | Toxicological Information |
| First Aid Measures | Ecological Information |
| Fire Fighting Measures | Disposal Considerations |
| Accidental Release Measures | Transport Information |
| Handling and Storage | Regulatory Information |
| Exposure Controls/Personal Protection | Other Information / Hazmat Info / Hazcom Label |



MSDS Safety Information

FSC: 6505
NIIN: 01-156-1680
MSDS Date: 01/25/1988
MSDS Num: BGXNT
Submitter: D DG
Tech Review: 08/04/1989
Status CD: C
MFN: 01
Article: N
Kit Part: N
Responsible Party EO144
Name: PFIZER INC./LEEMING-PACQUIN DIV
Address: 100 JEFFERSON ROAD
City: PARSIPPANY
State: NJ
Zip: 07054

Country: US
Emergency Phone Number 201-887-2100
Preparer's Name: N/P
Proprietary Ind: N
Review Ind: Y
Published: Y
Special Project CD: N
Cage: [14040](#)
Address: 100 JEFFERSON RD
City: PARSIPPANY
State: NJ
Zip: 07054-3708
Country: US
Phone: UNKNOWN

Cage: [EO144](#)
Address: 100 JEFFERSON ROAD
City: PARSIPPANY
State: NJ
Zip: 07054
Country: US
Phone: UNKNOWN

| |
|-------------------------------------|
| Item Description Information |
|-------------------------------------|

| |
|--------------------|
| Ingredients |
|--------------------|

Cas: 119-36-8
Code: M
RTECS #: VO4725000
Code: M
Environmental Wt:
Other REC Limits: N/P
OSHA PEL: NONE ESTABLISHED
Code: M

Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas: 89-78-1
Code: M
RTECS #: OT0350000
Code: M
Environmental Wt:
Other REC Limits: N/P
OSHA PEL: NONE ESTABLISHED
Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas: 8006-54-0
Code: M
RTECS #: 1001154LA
Code: M
Environmental Wt:
Other REC Limits: N/P
OSHA PEL: NONE ESTABLISHED
Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas: 7732-18-5
Code: M
RTECS #: ZC0110000
Code: M
Environmental Wt:
Other REC Limits: N/P
OSHA PEL: NONE ESTABLISHED

Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas: 57-11-4
Code: M
RTECS #: W12800000
Code: M
Environmental Wt:
Other REC Limits: N/P
OSHA PEL: NONE ESTABLISHED
Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas: 123-94-4
Code: M
RTECS #: 1002146SE
Code: M
Environmental Wt:
Other REC Limits: N/P
OSHA PEL: NONE ESTABLISHED
Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas: 26658-19-5
Code: M
RTECS #: 1002146SE
Code: M
Environmental Wt:
Other REC Limits: N/P

OSHA PEL: NONE ESTABLISHED
Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas: 9005-70-3
Code: M
RTECS #: WG2934500
Code: M
Environmental Wt:
Other REC Limits: N/P
OSHA PEL: NONE ESTABLISHED
Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas: 102-71-6
Code: M
RTECS #: KL9275000
Code: M
Environmental Wt:
Other REC Limits: N/P
OSHA PEL: NONE ESTABLISHED
Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

| | |
|----------------------------|--|
| Health Hazards Data | |
|----------------------------|--|

| | |
|--------------------------|--------------------------|
| LD50 LC50 Mixture | ORAL RAT (LD50)=9.6 G/KG |
| | YES |

| | |
|--|---|
| Route Of Entry Inds - Inhalation: | |
| Skin: | YES |
| Ingestion: | YES |
| Carcinogenicity Inds - NTP: | NO |
| IARC: | NO |
| OSHA: | NO |
| Health Hazards Acute And Chronic | ACUTE: EYE,SKIN & RESPIRATORY IRRITANT W/OVEREXPOSURE. POSSIBLE SKIN SENSITIZER, CHRONIC: NONE KNOWN. |
| Explanation Of Carcinogenicity | N/R |
| Signs And Symptoms Of Overexposure | EYE: CAUSES IRRITATION, BURNING & STINGING SENSATION UPON CONTACT; SKIN CONTACT: MAY CAUSE IRRITATION & SENSITIZATION. INHAL:MAY IRRITATE EYES, NOSE & THROAT; INGEST: HARMFUL IF SWALLOWED. |
| Medical Cond Aggravated By Exposure | NONE REPORTED. |

First Aid

EYES:IMMEDIATELY IRRIGATE W/
PLENTY OF WATER FOR AT LEAST 15
MIN. OBTAIN MED ATTN; SKIN: IF
SEVERE IRRITATION DEVELOPS,
REMOVE CONTAMINATED CLOTHING &
WASH SKIN THOROUGHLY W/ MILD
SOAP & WATER. GET MED ATTN;
INHAL:REMOVE TO FRESH AIR. GIVE
O*2/ARTIFICIALRESPIRATION AS
NEEDED. GET MED ATTN;
INGEST:INDUCE VOMITING. OBTAIN MED
ATTN.

Spill Release Procedures

NOTIFY SAFETY PERSONNEL OF LEAKS
OR SPILLS. REMOVE IGNITION SOURCES,
STOP RELEASE, & PROVIDE ADEQUATE

VENTILATION; COVER SPILL W/ INERT, NONCOMBUSTIBLE ABSORBANT MATERIAL & PLACE IN DISPOSAL CONTAINER. DONOT ALLOW SPILL TO FLOW TO SEWER OR PUBLIC WT.

Neutralizing Agent

N/R

| |
|-------------------------------|
| Waste Disposal Methods |
|-------------------------------|

| |
|---|
| Handling and Storage Precautions |
|---|

Other Precautions

FOLLOW MFR'S PRECAUTIONARY LABELING. PROLONGED CONTACTMAY CAUSE SKIN IRRITATION & SENSITIZATION. KEEP AWAY FROM CHILDREN TO AVOIDACCIDENTAL POISONING. DONOT SWALLOW-HARMFUL. DONOT USE W/ A HEATING PAD!

| |
|--|
| Fire and Explosion Hazard Information |
|--|

| | |
|--------------------------------------|---|
| Flash Point Method: | N/P |
| Flash Point: | |
| Flash Point Text: | NONE |
| Autoignition Temp: | |
| Autoignition Temp Text: | N/K |
| Lower Limits: | N/R |
| Upper Limits: | N/R |
| Extinguishing Media | FOAM,CARBON DIOXIDE,DRY CHEMICAL, OR WATER SPRAY. |
| Fire Fighting Procedures | WEAR SELF CONTND, POS PRESSURE, BRTHNG APP. & FULL FIRE FIGHTNG PROTECTV GEAR. USE WATER TO KEEP CONTAINER COOL, TO DILUTE & FLUSH SPILLS & REDUCE INTENSITY. |
| Unusual Fire/Explosion Hazard | DECOMPOSITION UNDER FIRE CONDITIONS WILL GENERATE CARBON |

MONOXIDE, & PHENOL & MAY
GENERATE OTHER TOXIC VAPORS.

Control Measures

| | |
|---------------------------------------|---|
| Ventilation | CONSUMER PRODUCT:NONE SHOULD BE REQUIRED IF USED I/A/W MFR'S DIRECTIONS. OTHERWISE LOCAL EXHAUST & ELIMINATE FIRE/SPRK. |
| Protective Gloves | AS CONSUMER PRODUCT: NONE SHOULD BE REQD |
| Eye Protection | AS CONSUMER PRODUCT: AVOID EYE CONTACT. |
| Other Protective Equipment | NONE-SHOULD BE NEEDED WHEN USED OR STORED AS A CONSUMER PRODUCT. OTHERWISE, AS REQUIRED FOR TASK AT HAND. |
| Work Hygienic Practices | USE PRODUCT I/A/W MFR'S DIRECTIONS ON CONTAINER FOLLOWING STATED PRECAUTIONS. |
| Supplemental Safety and Health | N/R |

Physical/Chemical Properties

| | |
|------------------------------|-----|
| HCC: | N1 |
| NRC/State LIC No: | |
| Net Prop WT For Ammo: | |
| Boiling Point: | |
| B.P. Text: | N/R |

Reactivity Data

| | |
|--------------------------------------|--|
| Stability Indicator: | YES |
| Stability Condition To Avoid: | AVOID FIRE & SPARKS. |
| Materials To Avoid: | STRONG OXIDIZING AGENTS & STRONG ALKALINES. TRACES OF IRON WILL CAUSE DISCOLORATION. |

Hazardous Decomposition Products: UNDER FIRE CONDITIONS WILL GENERATE CARBON MONOXIDE & PHENOL & OTHER POTENTIALLY TOXIC VAPORS.

Hazardous Polymerization Indicator: NO

Toxicological Information

Toxicological Information: N/P

Ecological Information

Ecological: N/P

MSDS Transport Information

Transport Information: N/P

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

Other Information: N/P

HMIS Transportation Information

Responsible Party Cage: [EO144](#)

Trans ID NO: 111777

Product Name: BEN-GAY GREASELESS OINTMENT

MSDS Prepared Date: 01/25/1988
Review Date: 08/07/1989
MFN: 1
Submitter: D DG
Status CD: C
Tech Entry NOS Shipping Nm:
Radioactivity:
Form:
Net Explosive Weight:
Coast Guard AMMO Code:
Magnetism: N/P
Net Unit Weight: N/K
AF MMAC Code:
DOD Exemption NUM:
Multiple KIT Number: 0
Kit IND: N
Kit Part IND: N
Review IND: Y
Unit Of Issue: PG
Container QTY: 3 OZ; 12/PG
Type Of Container: STD COMMERC
Additional Data:

| |
|-------------------------------|
| Detail DOT Information |
|-------------------------------|

DOT PSN Code: ZZZ
Symbols: N/R
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
DOT PSN Modifier:
Hazard Class: N/R
UN ID Num: N/R
DOT Packaging Group: N/R
Label: N/R
Special Provision: N/R
Packaging Exception: N/R

| | |
|------------------------------|-----|
| Non Bulk Pack: | N/R |
| Bulk Pack: | N/R |
| Max Qty Pass: | N/R |
| Max Qty Cargo: | N/R |
| Vessel Stow Req: | N/R |
| Water/Ship/Other Req: | N/R |

| |
|-------------------------------|
| Detail IMO Information |
|-------------------------------|

| | |
|----------------------------------|--|
| IMO PSN Code: | ZZZ |
| IMO Proper Shipping Name: | NOT REGULATED FOR THIS MODE OF TRANSPORTATION |
| IMO PSN Modifier: | |
| IMDG Page Number: | N/R |
| UN Number: | N/R |
| UN Hazard Class: | N/R |
| IMO Packaging Group: | N/R |
| Subsidiary Risk Label: | N/R |
| EMS Number: | N/R |
| MED First Aid Guide NUM: | N/R |

| |
|--------------------------------|
| Detail IATA Information |
|--------------------------------|

| | |
|-----------------------------------|---|
| IATA PSN Code: | ZZZ |
| IATA UN ID NUM: | N/R |
| IATA Proper Shipping Name: | NOT REGULATED BY THIS MODE OF TRANSPORTATION |
| IATA PSN Modifier: | |
| IATA UN Class: | N/R |
| Subsidiary Risk Class: | N/R |
| IATA Label: | N/R |
| UN Packing Group: | N/R |
| Packing Note Passenger: | N/R |
| Max Quant Pass: | N/R |
| Max Quant Cargo: | N/R |
| Packaging Note Cargo: | N/R |

Exceptions: N/R

| |
|-------------------------------|
| Detail AFI Information |
|-------------------------------|

| | |
|----------------------------------|---|
| AFI PSN Code: | ZZZ |
| AFI Symbols: | |
| AFI Proper Shipping Name: | NOT REGULATED BY THIS MODE OF TRANSPORTATION |
| AFI PSN Modifier: | |
| AFI Hazard Class: | N/R |
| AFI UN ID NUM: | N/R |
| Special Provisions: | N/A |
| Back Pack Reference: | N/A |

| |
|--------------------------|
| HMIS HAZCOM Label |
|--------------------------|

| | |
|--------------------------------|------------------------------------|
| Product Name: | BEN-GAY GREASELESS OINTMENT |
| Cage: | EO144 |
| Assigned IND: | Y |
| Company Name: | PFIZER INC./LEEMING-PACQUIN DIV. |
| Street: | 100 JEFFERSON ROAD |
| PO Box: | |
| City: | PARSIPPANY |
| State: | NJ |
| Zipcode: | 07054 |
| Country: | US |
| Health Emergency Phone: | 201-887-2100 |
| Label Required IND: | Y |
| Date Of Label Review: | 12/16/1998 |
| Status Code: | C |
| MFG Label NO: | |
| Label Date: | 12/16/1998 |
| Year Procured: | N/K |
| Origination Code: | G |
| Chronic Hazard IND: | N/P |
| Eye Protection IND: | N/P |

| | |
|------------------------------------|-----|
| Skin Protection IND: | N/P |
| Signal Word: | N/P |
| Respiratory Protection IND: | N/P |
| Health Hazard: | |
| Contact Hazard: | |
| Fire Hazard: | |
| Reactivity Hazard: | |

This information is derived from the Hazardous Material Information System which is utilized by the U.S. Department of Defense. [IntraWEB, LLC](#) and its Distributors in no manner whatsoever, expressly or implied warrants, states, or intends said information to have any application use or viability by or to any person or persons. Any person utilizing this information should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.