I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Medtrition, Inc.

P.O. Box 5387 Lancaster PA 17606 Telephone: 1-717-569-8561 Toll Free 1-877-271-3570

2. HAZARDS IDENTIFICATION

SKIN CONTACT.....Low order of toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

NON HAZARDOUS

4. FIRST-AID MEASURES

EYE Flush eyes with large amounts of water

until irritation subsides. If irritation

persists, get medical attention.

SKIN CONTACT......Wash with soap and water.

5. FIRE FIGHTING MEASURES

AUTO IGNITION	See Fire & Explosion Hazards	
FLASH POINT	Not Applicable	
EXTINGUISHING MEDIA	Dry chemical; CO2; Water fog; Foam	
SPECIAL FIRE FIGHTING PROCEDURE		
FIRE & EXPLOSION HAZARDS	Minimum ignition temperature of dust	
	cloud- approx. 390 C. Minimum explosive	
	concentration- approx. 62 mg/l. Minimum	
	energy to ignite cloud by electrical spark-	
	approx. 0.045 joules.	
HAZARDOUS COMBUSTION PROD	This product does not undergo spontaneous	
	decomposition. Typical combustion	
	products are carbon monoxide, carbon	
	dioxide, nitrogen and water.	
UPPER EXPLOSION LIMIT (%)	* *	
LOWER EXPLOSION LIMIT (%)		
NFPA FLAMMABILITY HAZARD CLASS 1 = Slight		

6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK PROCEDURES......Spills should be taken up with suitable

absorbent and placed in containers. Spill area can be washed with water; collect wash water for approved disposal. Do not flush to storm sewer or waterway.

For safety and environmental precautions, please review entire Material Safety Data Sheet for necessary information.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE	Ambient.
HANDLING/STORAGE	Do not freeze.
VENTILATION REQUIREMENTS	General
SENSITIVITY TO STATIC ELECTRICITY	
SENSITIVITY TO MECHANICAL IMPACT	No

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION REQUIREMENTS	General
EYE PROTECTION REQUIREMENTS	
GLOVE REQUIREMENTS	Not applicable
CLOTHING REQUIREMENTS	Not applicable
WASH REQUIREMENTS	
RESPIRATION REQUIREMENTS	NIOSH approved dust mask.

9. PHYSICAL AND CHEMICAL PROPERTIES

PURE SUBSTANCE OR MIXTURE PHYSICAL FORM	Liquid Clear; No Odor ATNot available
PH AS IS PH IN (1%) SOLUTION BOILING POINT MELTING/FREEZING POINT SOLUBILITY IN WATERPARTITION COEFFICIENT	Not ApplicableApprox. 6Not ApplicableNot ApplicableSoluble
(n-octanol/water) SPECIFIC GRAVITY (WATER=1) EVAPORATION RATE VAPOR PRESSURE (mmHg)	1.500 Not Applicable Not Applicable Not Applicable
VAPOR DENSITY (air = 1)	Not Applicable See Fire & Explosion Hazards What Applicable Not Applicable What Applicable

10. STABILITY AND REACTIVITY

STABILITY	Stable
MATERIALS TO AVOID	None
NFPA REACTIVITY HAZARD CLASS	0 = Insignificant
HAZARDOUS DECOMPOSITION PRODUCTS	This product does not undergo spontaneous decomposition. Typical combustion products are carbon monoxide, carbon dioxide, nitrogen and water.

11. TOXICOLOGICAL INFORMATION

CHRONIC (LONG TERM) EFFECTS OF EXPOSURE

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS

Waste disposal should be in accordance

with existing federal, state and local

environmental regulations.

EMPTY CONTAINER WARNINGS Empty containers may contain product

residue; follow MSDS and label warnings

even after they have been emptied.

14. TRANSPORTATION INFORMATION

DOT INFORMATIONNot Applicable

15.REGULATORY INFORMATION

SARA/TITLE III This product contains no substances at or

above the reporting threshold under Section

313, based on data available.

The information given and the recommendations made herein apply to our product (s) alone and are not combined with other product (s). Such are based on our research and on data from other reliable sources an are believed to be accurate. No guaranty of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

16. OTHER INFORMATION

MSDA DATEAugust 07, 2017
CHANGES SINCE PREVIOUS ISSUEAugust 07, 2017: Reviewed document; Update SDS, Update contact from A. Trainor; June 11, 2013 -Name and Contact Information

FOR REGULATORY INFORMATION, CONTACT:

Michael Deiling Quality Control Manager Medtrition, Inc. P.O. Box 5387 Lancaster PA 17606 USA 1-717-569-8561 Toll Free 1-877-271-3570